

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (cancelled)
2. (cancelled)
3. (cancelled)
4. (currently amended) The PMT reagent of claim-~~3~~8, wherein said protein ~~functional-group component~~ is an amino acid side chain.
5. (currently amended) The PMT reagent of claim-~~3~~8, wherein said protein ~~functional-group component~~ is a post-translationally modified amino acid side chain.
6. (currently amended) The PMT reagent of claim-~~1~~8, wherein said protein ~~functional-group component~~ is selected from the group consisting of an amino acid, a ~~modified derivatized~~ amino acid, a post-translationally modified amino acid, ~~a set of amino acids~~, a digested peptide or protein fragment.
7. (cancelled)
8. (currently amended) A plurality of PMT reagents for mass spectrometric analysis of proteins each comprised of an amino acid reactive moiety that selectively reacts with ~~certain a~~ protein ~~functional-groups~~ component, wherein each of said PMT reagents is differently labeled with one or more non-isotopic chemical substituents.

9. (currently amended) The plurality of PMT reagents of claim 8 wherein said non-isotopic chemical substituents are selected from the group consisting of ~~homologous~~-organic substituents and halides.

10. (currently amended) The plurality of PMT reagents of claim 8 wherein said ~~protein-amino acid~~ reactive moieties react with ~~certain-a protein functional groups component~~ via a covalent-reactions reaction.

11. (currently amended) The plurality of PMT reagents of claim 8 wherein said ~~protein-amino acid~~ reactive moiety reacts with ~~the side chain of~~ arginine.

12. (withdrawn) A plurality of PMT reagents for mass spectrometric analysis of proteins having the general formula:



wherein RM is a recognition moiety and PRM is an amino acid reactive moiety that selectively reacts with certain protein functional groups, wherein each of said PMT reagents is differentially labeled with one or more non-isotopic chemical substituents.

13. (withdrawn) The PMT reagents of claim 12 wherein RM is selected from the group consisting of biotin or an oligonucleotide having between 5 and 50 bases.

14. (withdrawn) The PMT reagents of claim 12, wherein said non-isotopic chemical substituents are selected from the group consisting of homologous organic substituents and halides.

15. (withdrawn) The PMT reagent of claim 12, wherein said amino acid reactive moiety reacts with certain protein functional groups via a covalent reaction.

16. (withdrawn) The PMT reagent of claim 12, wherein said amino acid reactive moiety reacts with the guanidinium group of arginine.


17 (withdrawn) A plurality of PMT reagents for mass spectrometric analysis of proteins having the general formula:



wherein RM is a recognition moiety, AM is an accessory moiety and PRM is an amino acid reactive moiety that selectively reacts with certain protein functional groups, wherein each of said PMT reagents is differentially labeled with one or more non-isotopic chemical substituents.

18. (withdrawn) The PMT reagents of claim 17 wherein RM is biotin and AM is a fluorescent compound.

19. (withdrawn) A compound having the following formula:




wherein

X is independently selected from the group consisting of H, D, OH, OD, R, OR, OSiR₃, Cl, Br, I, F, SH, SR, NH₂, NHR, and NR₂;

R is selected from the group consisting of an optionally substituted: C₁-C₂₀ alkyl, C₂-C₂₀ alkenyl, C₂-C₂₀ alkynyl, including deuterium substitutions; and

n = 0-10

20. (withdrawn) A compound having the following formula:




wherein

X is independently selected from the group consisting of H, D, OH, OD, R, OR, OSiR₃, Cl, Br, I, F, SH, SR, NH₂, NHR, and NR₂;


R is selected from the group consisting of an optionally substituted: C₁-C₂₀ alkyl, C₂-C₂₀ alkenyl, C₂-C₂₀ alkynyl, including deuterium substitutions; and

n = 0-10.

21. (withdrawn) A compound having the following formula:



22. (withdrawn) A compound having the formula:



23. (withdrawn) A method for identifying one or more proteins or protein components in one or more samples containing a mixture of proteins or protein components comprising:

- providing a plurality of PMT reagents wherein each PMT reagent is comprised of an amino acid reactive moiety that selectively reacts with certain protein functional groups, wherein each of said PMT reagents is differently labeled with one or more non-isotopic chemical substituents;
- contacting each sample with one of the PMT reagents to produce proteins or protein components in each sample labeled with a different PMT reagent;
- isolating said labeled proteins or protein components; and
- analyzing said labeled proteins or protein components.

24. (withdrawn) The method of claim 23, further comprising digesting the proteins or protein components after containing the sample with the PMT reagents.

25. (withdrawn) The method of claim 24 wherein the labeled proteins or protein components are analyzed by mass spectrometry.

26. (withdrawn) A method for comparing two or more samples containing a mixture of one or more proteins or protein components comprising:

a) providing a plurality of PMT reagents wherein each PMT reagent is comprised of an amino acid reactive moiety that selectively reacts with certain protein functional groups, wherein each of said PMT reagents is differently labeled with one or more non-isotopic chemical substituents;

b) contacting each sample with a different PMT reagent to produce proteins or protein components in each sample labeled with a different PMT reagent;

c) isolating said labeled proteins or protein components; and

d) simultaneously analyzing said labeled proteins or protein components to quantitatively determine the relative amounts of protein or protein components in each sample.